

[www.toprest.com](http://www.toprest.com)



## Cummins Diesel Electric Power Generator Set

Model	Prime Power (KVA/KW)		Standby Power(KVA/KW)		Engine Model	Dimension(MM)	Weight(KG)
HTD-20GF	25	20	28	22	4B3.9-G1	1600×735×1420	765
HTD-25GF	30	25	33	27.5	4BT3.9-G1	1680×735×1420	770
HTD-32GF	40	32	44	35	4BT3.9-G2	1680×735×1420	770
HTD-40GF	50	40	55	44	4BTA3.9-G2	1880×805×1450	824
HTD-52GF	65	52	72	57	4BTA3.9-G2	1880×805×1450	824
HTD-64GF	80	64	88	70	4BTA3.9-G11	2180×805×1450	980
HTD-80GF	100	80	110	88	4BTA3.9-G13	2180×805×1450	1020
HTD-80GF	100	80	110	88	6BT5.9-G1	2475×800×1470	1150
HTD-87GF	110	87	121	96	6BT5.9-G2	2475×800×1470	1185
HTD-100GF	125	100	132	110	6BTA5.9-G2	2620×800×1495	1280
HTD-109GF	136	109	149	119	6BTAA5.9-G2	2620×800×1495	1280
HTD-127GF	160	127	175	140	6BTAA5.9-G12	2620×800×1495	1300
HTD-148GF	185	148	203	163	6CTA8.3-G2	2680×855×1560	1550
HTD-166GF	207	166	228	182	6CTAA8.3-G2	2790×1045×1640	1700
HTD-200GF	250	200	275	220	MTA11-G2	2700×1050×1915	2750
HTD-200GF	250	200	275	220	NTA855-G1	2900×1050×1780	3010
HTD-200GF	250	200	275	220	6LTAA8.9-G2	2890×1080×1780	1900
HTD-220GF	275	220	300	240	NTA855-G1A	2900×1050×1780	3010

HTD-208GF	260	208	286	229	6LTAA8.9-G3	2890×1080×1780	2500
HTD-227GF	284	227	312	250	6LTAA9.5-G3	3300×1150×1780	2500
HTD-250GF	313	250	344	275	MTAA11-G3	2800×1050×1915	2750
HTD-275GF	343	275	378	302	NTA855-G2A	3000×1050×1780	2950
HTD-280GF	350	280	385	308	NTA855-G4	3000×1050×1780	3000
HTD-260GF	325	260	358	286	6LTAA9.5-G1	3300×1150×1780	2750
HTD-300GF	375	300	413	330	NTAA855-G7	3000×1050×1780	2800
HTD-300GF	375	300	413	330	KTA19-G2	3580×1277×2065	3950
HTD-310GF	385	310	424	340	6ZTAA13-G3	3380×1360×2010	3220
HTD-360GF	450	360	495	396	KTA19-G3	3700×1275×2100	2900
HTD-360GF	450	360	495	396	6ZTAA13-G4	3390×1360×2010	3220
HTD-20GF	440	352	484	387	6ZTAA13-G2	3390×1360×2010	3220
HTD-400GF	500	400	550	440	KTA19-G3A	3700×1275×2100	4250
HTD-408GF	510	408	560	448	QSZ13-G3	3390×1360×2010	3220
HTD-420GF	525	420	575	462	KTAA19-G5	3860×1735×2310	4550
HTD-460GF	575	460	633	506	KTAA19-G6	4055×1550×2235	4550
HTD-500GF	625	500	687	550	KT38-G	4055×1550×2210	6000
HTD-570GF	713	570	784	627	KTA38-G1	4200×1650×2210	6150
HTD-580GF	725	580	798	638	KT38-GA	4200×1650×2210	6400
HTD-600GF	750	600	825	660	KTA38-G2	4350×1750×2210	6600
HTD-640GF	800	640	880	704	KTA38-G2B	4350×1750×2210	6700
HTD-728GF	910	728	1000	800	KTA38-G2A	4350×1750×2210	6850
HTD-800GF	1000	800	1100	880	KTA38-G5	4350×2090×2210	7150
HTD-1000GF	N/A	N/A	1250	1000	KTA38-G9	4350×2090×2210	7250
HTD-1000GF	1250	1000	1375	1100	KTA50-G3	4960×2070×2330	9140
HTD-1100GF	1375	1100	1513	1210	KTA50-G8	5050×2260×2455	9400
HTD-1475GF	1475	1180	1622	1298	KTA50-GS8	5250×2170×2540	9600

## Optional Parts of Diesel Electric Power Generator set:

1. ATS
2. Automatic parallel cabinet
3. Daily fuel tank
4. 50°C Radiator
5. Anti Condensation Heater
6. Water and Oil heater



## Perkins Diesel Electric Power Generator Set

Model	Prime Power (KVA/KW)		Standby Power(KVA/KW)		Engine Model	Dimension(MM)	Weight(KG)
HTD-7GF	9	7	10	8	403D-11G	1350×500×1090	335
HTD-10GF	13	10	14	11	403A-15G1	1430×500×1150	400
HTD-12GF	15	12	16	13	403A-15G2	1435×500×1150	415
HTD-16GF	20	16	22	18	404A-22G1	1610×560×1195	525
HTD-22GF	27	22	30	24	404D-22TG	1680×560×1195	550
HTD-24GF	30	24	32	26	1103A-33G	1840×700×1270	860
HTD-36GF	45	36	50	40	1103A-33TG1	1960×700×1350	870
HTD-48GF	60	48	66	53	1103A-33TG2	2050×700×1350	980
HTD-52GF	65	52	72	57	1104A-44TG1	2200×700×1350	1050
HTD-64GF	80	64	88	70	1104A-44TG2	2200×700×1350	1080
HTD-80GF	100	80	110	88	1104C-44TAG2	2280×700×1350	1250
HTD-108GF	135	108	150	120	1106A-70TG1	2565×850×1425	1522
HTD-120GF	150	120	165	132	1106A-70TAG2	2750×850×1350	1580
HTD-144GF	180	144	200	160	1106A-70TAG3	2850×850×1350	1590
HTD-160GF	200	160	220	176	1106A-70TAG4	2850×1045×1825	1600
HTD-185GF	231	185	254	203	1506A-E88TAG2	2980×1055×1695	2335
HTD-206GF	257	206	283	226	1506A-E88TAG3	2980×1055×1695	2350

HTD-246GF	307	246	338	270	1506A-E88TAG5	3080×1090×170 0	2500
HTD-280GF	350	280	400	320	2206C-E13TAG2	3460×1150×203 0	2980
HTD-320GF	400	320	450	360	2206C-E13TAG3	3460×1150×203 0	3135
HTD-364GF	455	364	500	400	2506C-E15TAG1	3780×1270×202 0	3760
HTD-400GF	500	400	550	440	2506C-E15TAG2	3780×1270×202 0	3880
HTD-473GF	591	473	650	520	2806C-E18TAG 1A	3780×1536×218 0	4555
HTD-520GF	650	520	700	560	2806A-E18TAG2	3780×1536×218 0	4600
HTD-597GF	746	597	820	656	4006-23TAG2A	4250×1690×215 0	6460
HTD-640GF	800	640	880	704	4006-23TAG3A	4250×1690×215 0	6500
HTD-728GF	910	728	1001	800	4008TAG1A	4735×2261×225 6	7400
HTD-818GF	1022	818	1125	900	4008TAG2	4735×2261×225 6	7450
HTD-900GF	1125	900	1250	1000	4008-30TAG3	4735×2261×225 6	7450
HTD-1000GF	1250	1000	1375	1100	4012-46TWG2A	4800×2100×229 7	9030
HTD-1000GF	1250	1000	1375	1100	4012-46TWG2	4800×2100×229 7	9050
HTD-1100GF	1375	1100	1500	1200	4012-46TWG3A	4800×2100×229 7	9100
HTD-1200GF	1500	1200	1650	1320	4012-46TAG2A	4900×2100×229 7	9730
HTD-1350GF	1688	1350	1850	1480	4012-46TAG3A	4900×2100×229 7	9730
HTD-1480GF	1850	1480	2000	1600	4016TAG1A	5035××2597×21 50	10300
HTD-1600GF	2000	1600	2200	1760	4016TAG2A	5035××2597×21 50	10300
HTD-1600GF	2000	1600	2200	1760	4016-61TRG2	5250××2600×21 50	10270

HTD-1800GF	2250	1800	2500	2000	4016-61TRG3	5250××2600×21 50	1100
------------	------	------	------	------	-------------	---------------------	------

### Supply Standards of Diesel Electric Power Generator Set:

**Diesel Engine:** Perkins direct injection internal combustion diesel engine

**Alternator:** Brush-less self-excited AC synchronous generator (optional PMG!)

Radiator with safety protection device

24V starting motor, 24V self-charging generator, LCD intelligent self-starting control system

MCCB air protective switch

Built-in stainless steel absorber for general bottom frame

High-performance maintenance-free lead-acid battery and copper battery connection cable

Pressure-resistant, corrosion-resistant, weather-resistant fuel inlet and return oil pipelines, and a fast oil drain valve installed at the bottom of the diesel engine

**Documentation:** engine and generator original technical data / controller operation manual / instruction and maintenance manual / test report / delivery list

### Optional Parts of Diesel Electric Power Generator Set:

1. ATS Automatic parallel cabinet
2. Daily fuel tank
3. 50°C Radiator
4. Anti Condensation Heater
5. Water and Oil heater

# WEICHAI

## WEICHAI Diesel Electric Power Generator set

Model	400V / 50Hz / 1500RPM				WEICHAI Diesel Engine 1500rpm					Fuel Consumption @ 100% Load	Alternator
	Standby output		Prime Output		Model	No. of Cylinder	Governor	Bore×Stroke	Displacement		Brushless Alternator
	KVA	KW	KVA	KW				(MM)	(L)	(L/H)	
HTD-20GF	27.5	22	25	20	WP2.3D25 E200	4L	Mechanical	90×100	2.5	4	Faraday
HTD-25GF	34	27.5	31	25	WP2.3D33 E200	4L	Mechanical	102×118	2.5	5	Faraday
HTD-30GF	41	33	38	30	WP2.3D40 E200	4L	Mechanical	105×125	2.5	7.5	Faraday

HTD-36GF	50	40	45	36	WP2.3D48 E200	4L	Mechanical	105×12 5	2.5	8.5	Faraday
HTD-40GF	55	44	50	40	WP4.1D66 E200	4L	Mechanical	105×13 0	4.5	10	Faraday
HTD-50GF	69	55	63	50	WP4.1D66 E200	4L	Mechanical	105×13 0	4.5	12.5	Faraday
HTD-60GF	83	66	75	60	WP4.1D80 E200	4L	Mechanical	105×13 0	4.5	14.5	Faraday
HTD-72GF	100	80	90	72	WP4.1D10 0E200	4L	Mechanical	105×13 0	4.5	16	Faraday
HTD-80GF	110	88	100	80	WP4.1D10 0E200	4L	Mechanical	105×13 0	4.5	20	Faraday
HTD-91GF	125	100	114	91	WP6D132E 200	6L	Mechanical	105×13 0	6.75	22.5	Faraday
HTD-100GF	138	110	125	100	WP6D132E 200	6L	Mechanical	105×13 0	6.75	25	Faraday
HTD-120GF	165	132	150	120	WP6D152E 200	6L	Mechanical	105×13 0	6.75	30	Faraday
HTD-150GF	206	165	188	150	WP10D200 E200	6L	Mechanical	126×13 0	9.726	43.6	Faraday
HTD-180GF	250	200	225	180	WP10D238 E200	6L	Mechanical	126×13 0	9.726	52.7	Faraday
HTD-200GF	275	220	250	200	WP10D264 E200	6L	Mechanical	126×13 0	9.726	59.3	Faraday
HTD-250GF	344	275	313	250	WP12D317 E200	6L	Mechanical	126×15 5	11.596	68.7	Faraday
HTD-304GF	420	336	380	304	WP13D385 E200	6L	Mechanical	127×16 5	12.54	85	Faraday
HTD-320GF	440	352	400	320	WP13D385 E200	6L	Mechanical	127×16 5	12.54	89	Faraday
HTD-360GF	500	400	450	360	6M26D447 E200	6L	Electric	150×15 0	15.9	93	Faraday
HTD-400GF	550	440	500	400	6M26D484 E200	6L	Electric	150×15 0	15.9	96.8	Faraday
HTD-480GF	660	528	600	480	6M33D572 E200	6L	Electric	150×18 5	19.6	104	Faraday
HTD-500GF	688	550	625	500	6M33D605 E200	6L	Electric	150×18 5	19.6	121	Faraday
HTD-600GF	825	660	750	600	12M26D79 2E200	12V	Electric	150×15 0	31.8	139	Faraday
HTD-640GF	880	704	800	640	12M26D79 2E200	12V	Electric	150×15 0	31.8	150	Faraday
HTD-728GF	1000	800	910	728	12M26D90 2E200	12V	Electric	150×15 0	31.8	164	Faraday
HTD-800GF	1100	880	1000	800	12M26D96 8E200	12V	Electric	150×15 0	31.8	176	Faraday
HTD-920GF	1250	1000	1150	920	12M33D11 08E200	12V	Electric	150×18 5	39.2	202	Faraday
HTD-1000GF	1400	1120	1250	1000	12M33D12 10E200	12V	Electric	150×18 5	39.2	220	Faraday

### Main Features of WEICHAI Diesel Electric Power Generator set

1. Cast iron body, grid structure, high strength and excellent cooling effect.
2. Equipped with a hand-press oil pump, a bypass oil centrifugal filter and a large-flow oil pump to ensure the stable performance of diesel engine.
3. All-copper seawater pump, cooling water and oil pipeline emergency interfaces ensure reliable operation of the diesel engine.
4. Air filter with new design, optimize the structure and tightness, high filtration efficiency, cleaner air intake, make the structure more compact and reasonable.
5. More convenient for filter element replacement.
6. The new designed oil pan is a marine engine structure, which increases the heat dissipation area of the oil and fully considers its shock absorption performance.
7. High reliability, with an average service life of more than 30,000 hours.
8. Good economy, optimize the configuration of engine air intake and fuel system, explore the potential of diesel engines, and reduce the fuel consumption.
9. Select Germany's advanced technology, excellent quality of parts ensures the product with highly reliable.
10. Advanced design concept, optimize the structure according to user's usage habits, easy for installation and maintenance.



## Weifang Ricardo Diesel Engines Generator Set

Genset			Weifang Ricardo Diesel Engine				Copy Stamford Alternator			Excitation Type
Genset Model	Prime Power		Engine Model	Rated Power (kW)	No. of Cylinder	Bore*Stroke (mm*mm)	Model	Rated Power (kW/kVA)	Current (A)	
	kW	kVA								
HTR-20GF	20	25	490D	22	4.L	90*115	HHI-20-H-4	20/25	36	Brushless
HTR-30GF	30	38	K4102D	33	4.L	102*115	KHI-30-H-4	30/38	54	Brushless
HTR-40GF	40	50	K4100ZD	56	4.L	105*115	KHI-40-H-4	40/50	72	Brushless
HTR-50GF	50	62.5	R4105ZD	56	4.L	105*125	KHI-50-H-4	50/62.5	90	Brushless
HTR-64GF	64	80	R4105IZLD	56	4.L	105*125	KHI-64-H-4	64/80	115	Brushless
HTR-80GF	80	100	R6105ZD	90	6.L	105*125	KHI-80-H-4	80/100	144	Brushless
HTR-100GF	100	125	R6105AZLD	120	6.L	105*130	KHI-100-H-4	100/125	180	Brushless

HTR-120GF	120	150	R6105IZL D	132	6.L	105*130	KHI- 120-H-4	120/150	216	Brushless
HTR-160GF	160	200	F6113AZ LD	175	6.L	113*125	KHI- 160-H-4	160/200	288	Brushless
HTR-200GF	200	250	F6126ZL D4	223	6.L	126*130	KHI- 200-H-4	200/250	360	Brushless
HTR-240GF	250	312. 5	F6126AZ LD6	260	6.L	126*155	KHI- 240-H-4	250/312.5	433	Brushless
HTR-300GF	300	375	F6126ZL D8	345	6.L	126*155	KHI- 300-H-4	300/375	541	Brushless

This series diesel generator has the features of low fuel consumption, large torque easy to start, easy operation and maintenance.

Ricardo series is the ideal power for generating set, stationary power, engineering machinery, agricultural machine



## Yuchai Engine Diesel Generator Set

Model	Prime Power(KVA/KW)		Standby Power(KVA/KW)		Engine Model	Dimension(MM)	Weight(KG)
HTD-24GF	30	24	33	26	YC4FA40Z-D20	1400×550×930	530
HTD-32GF	40	32	44	35	YC4FA55Z-D20	1450×550×930	550
HTD-40GF	50	40	55	44	YC4D60-D21	1800×750×1140	760
HTD-45GF	56	45	63	50	YC4D85Z-D20	1890×750×1140	790
HTD-50GF	63	50	70	55	YC4D85Z-D20	1890×750×1140	790
HTD-58GF	73	58	80	64	YC4D90Z-D20	1890×750×1140	820
HTD-70GF	88	70	100	80	YC4A100Z-D20	1890×750×1140	900
HTD-80GF	100	80	113	90	YC6B135Z-D20	2020×780×1250	1000
HTD-90GF	113	90	125	100	YC6B155L-D21	2020×780×1250	1030
HTD-110GF	138	110	150	120	YC6B180L-D20	2440×960×1380	1360
HTD-120GF	150	120	165	132	YC6A200L-D20	2440×960×1380	1420
HTD-140GF	175	140	188	150	YC6A230L-D20	2500×960×1380	1460
HTD-150GF	188	150	200	160	YC6G245L-D20	2530×960×1380	1500



HTD-200GF	250	200	275	220	YC6MK350L-D20	2900×1130×1580	1960
HTD-250GF	313	250	350	280	YC6MK450L-D20	3000×1130×1580	2260
HTD-280GF	350	280	375	300	YC6MJ480L-D20	3000×1130×1580	2260
HTD-300GF	375	300	413	330	YC6MJ480L-D20	3200×1200×1800	3100
HTD-350GF	438	350	480	385	YC6T600L-D22	3600×1200×1800	3400
HTD-400GF	500	400	550	440	YC6T660L-D20	3600×1200×1800	3400
HTD-450GF	562	450	618	500	YC6T660L-D20	3600×1200×1800	3500
HTD-500GF	625	500	687	550	YC6TD840L-D20	3600×1200×1800	4000
HTD-600GF	750	600	825	660	YC6C1020L-D20	4000x1500x2100	7000
HTD-640GF	800	640	880	700	YC6C1070L-D20	4000x1500x2100	7000
HTD-730GF	900	730	990	792	YC6C1220L-D20	4000x1500x2100	7500
HTD-800GF	1000	800	1100	880	YC6C1320L-D20	4000x1500x2100	7500
HTD-1000GF	1250	1000	1310	1100	YC12VC1680L-D20	6500x2300x2600	13300
HTD-1200GF	1500	1200	1650	1320	YC12VC2070L-D20	6500x2300x2600	13300
HTD-1500GF	1875	1500	2062	1650	YC12VC2510L-D20	6500x2300x2600	13300

### Supply Standards of of Yuchai Engine Diesel Generator Set:

**Diesel Engine:** Yuchai direct injection internal combustion diesel engine

**Alternator:** Brush-less self-excited AC synchronous generator (optional PMG!)

Radiator with safety protection device

24V starting motor, 24V self-charging generator, LCD intelligent self-starting control system

MCCB air protective switch

Built-in stainless steel absorber for general bottom frame

High-performance maintenance-free lead-acid battery and copper battery connection cable

Pressure-resistant, corrosion-resistant, weather-resistant fuel inlet and return oil pipelines, and a fast oil drain valve installed

at the bottom of the diesel engine

**Documentation:** engine and generator original technical data / controller operation manual /instruction and maintenance manual / test report / delivery list

### Optional Parts of of Yuchai Engine Diesel Generator Set:

1. ATS
2. Automatic parallel cabinet
3. Soundproof canopy
4. Container Canopy
5. Trailer base
6. Truck base
7. Daily fuel tank
8. 50°C Radiator

9. Anti Condensation Heater

10. Water and Oil heater

# **DOOSAN**

## **DOOSAN Electric Power Diesel generator**

Engine Model	Genset Prime		Genset Standby		Engine Output kwm	Governor	LSA alternator	
	Kwe	KVA	Kwe	KVA			1500rpm	MODEL
SP344CB	50	63	55	69	56	ECM	50.4	TAL-A42-H
SP344CC	64	80	70	88	73	ECM	68	TAL-A44-C
DP086TA	120	150	132	165	137	electric	120	TAL-A44-J
P086TI-1	136	170	150	187	149	electric	136	TAL-A44-K
P086TI	160	200	176	220	177	electric	160	TAL-A44-M
DP086LA	184	230	202	253	201	electric	184	TAL-A46-C
P126TI	220	275	242	303	241	electric	220	TAL-A46-E
P126TI-II	240	300	264	330	265	electric	240	TAL-A46-F
DP126LB	300	375	330	413	327	electric	292	TAL-A46-H
P158LE	328	410	361	451	363	electric	328	TAL-A47-A
DP158LC	365	456	402	502	408	electric	365	TAL-A47-B
DP158LD	400	500	440	550	464	electric	400	TAL-A47-C
DP180LA	460	575	506	633	502	electric	480	TAL-A47-E
DP180LB	510	638	561	701	556	electric	528	TAL-A47-F

DP222LB	550	688	605	756	604	ECM	600	TAL-A49-B
DP222LC	600	750	660	825	657	ECM	600	TAL-A49-B
DP222CC	728	910	801	1001	790	ECM	728	TAL-A49-D

DOOSAN gen-set system can provide multiple protection functions for the oil temperature water temperature oil pressure,

speed and overload of the unit, mainly used in national defense, aviation, vehicles, ships, construction machinery and generator sets. DOOSAN diesel engines are recognized by the world for the small size, compact, weight, strong sudden load capacity, low noise and reliability.

## High voltage Diesel Generator Set

High voltage diesel generators provide more abundant power solutions for customers with high voltage electric generating requirements.

High voltage diesel generators provide more abundant power solutions for customers with high voltage electric generating requirements.

For power ratings above 500kw, high voltage diesel generators are available. Regular medium or high voltage classes are as following:

3.3kv,  
4.16kv,  
6/6.3/6.6kv,  
10/10.5/11kv,  
13.8kv,Etc.

### Main features of high voltage diesel gensets:

- Direct high-voltage output, small loss, high efficiency, rapid response and strong start.
- The use of high-voltage units can reduce transmission losses and reduced investment in cable, suitable for long-distance carrier.
- With impact resistance, to load fluctuations, with the super-load capacity to launch large-capacity motor with.
- single-phase loading capacity.
- Smart controller protection.

## Containerized Diesel Generator Set

This series generator sets choose high quality Perkins, Cummins, Weichai, Weifang ricardo, Doosan Yuchai diesel engine assembled with alternators (Stamford, Faraday or other famous brand), the control system adopts PLC automatic controller.

## Container Generators Features

Containers are widely used for transporting goods in international trade. For large power ratings diesel generators, Haitai Power can integrate the generator together with standard container for customers. In one hand, container diesel gensets can endure rough weather and environment condition. In the other hand, standard container gensets will reduce the freight cost sharply.

Main features of Kaihua Container diesel gensets:

1. Standard container dimensions with required certificates for delivering on the sea.
2. Easy maintenance to generators with front , back and side doors. Customers can choose to draw gensets out of the container when needed.
3. All hinges, locks and bolts are made of stainless steel. The whole container is sea-wave-proof and rain-proof.
4. For soundproof type container, Haitai uses the advanced sound absorbing material which is flame proof and with good sound insulation performance.
5. Special silencer of residential class which can reduce exhaust sound level to a large extent.
6. With scientific design for ventilation. User friendly design for the controller space to make sure easy access to control the genset.

**Power range:** 20~3000KVA

voltage: 220/380V, 230/400V, 240/415V; 110/220V, 220/440V, 277/480V.

Frequency: 50hz, 60hz

Alternator Type: Brushless Alternator

Diesel Generator set	
Engine Brands	Perkins,Cummins, Weichai,Baudouin,Weifang Ricardo,Doosan,Yuchai
Perkins Series	from 800kW to 1800kW
Cummins Series	from 20kW to 1200kW
Weichai Series	from 20kW to 400kW
Baduouin Series	from 400kW to 2000kW
Weifang Ricardo Series	from 10kW to 250kW
Yuchai Series	from 20kW to 1500kW
Doosan Series	from 7kW to 500kW
Fuel Types	Diesel

### Supply Scope of Container Type Diesel Generator Set:

1. Steel chassis with 8 hours fuel tank ,
2. Hoist &Fork truck set for easy moving,
3. Standard shock absorbers, control cabinet,
4. High quality fuel pipe with clips,
5. Battery cable connection,
6. Flexible Exhaust Connector.
7. MCCB, Muffler,
8. Radiator Fan,
9. Air Filter.
10. Installation Accessories.
11. Shrinking film package .
12. Container canopy